


# SMB-CAC406C BRONZE

'21.01.25

## 標準型番表



受注生産品のロット及び納期につきましては、営業窓口までお問い合わせ下さい。

荷姿2200mmを越える製品につきましては、路線便での配達の一部できない地域がございます。

詳細は営業窓口までお問い合わせ下さい。

### ■寸法公差

	呼び外径		
	20~70	75~125	130~300
外径・内径	±0.3	±0.4	±0.6
肉厚	±7.5%		
曲り	2mm/1m以内		


### ●CAC406C 丸棒

No.	呼称寸法	納入寸法(mm)	参考重量(Kg)			生産区分	
	外径	外径	3,000 <sup>+100</sup> <sub>-0</sub>	1,000 <sup>+10</sup> <sub>-0</sub>	300 <sup>+5</sup> <sub>-0</sub>	標準在庫品	受注生産品
1	20	21.0	9.52	3.10	0.94	○	
2	25	26.0	14.59	4.75	1.44	○	
3	30	31.0	20.74	6.75	2.04	○	
4	35	36.0	27.97	9.11	2.76	○	
5	40	41.0	36.28	11.81	3.57	○	
6	45	46.2	46.07	15.00	4.54	○	
7	50	51.2	56.58	18.42	5.57	○	
8	55	56.5	68.91	22.43	6.79	○	
9	60	61.5	81.64	26.57	8.04	○	
10	65	66.5	95.45	31.07	9.40	○	
11	70	71.5	110.35	35.92	10.87	○	
12	75	76.5	126.32	41.12	12.44	○	
13	80	81.7	144.08	46.90	14.19	○	
14	85	86.7	162.25	52.81	15.98	○	
15	90	91.7	181.51	59.08	17.88	○	
16	95	97.0	203.09	66.11	20.01	○	
17	100	102.0	224.57	73.10	22.12	○	
18	105	107.0	247.13	80.44	24.34	○	
19	110	112.0	270.76	88.13	26.67	○	
20	115	117.0	295.48	96.18	29.11	○	
21	120	122.0	321.27	104.57	31.65	○	
22	125	127.5	350.89	114.21	34.57	○	
23	130	132.5	378.95	123.35	37.33	○	
24	140	143.0	(441.39)	143.74	43.48	○	
25	150	153.0	(505.29)	164.55	49.78	○	
26	160	163.0	(573.50)	186.76	56.50	○	
27	180	183.0	(722.86)	235.40	71.21	○	
28	200	203.0	(889.50)	289.67	87.63	○	
29	250	253.5	(1387.11)	451.72	136.65	○	
30	300	305.0	(2007.96)	647.49	195.86	○	

# SMB-CAC406C BRONZE

'21.01.25

## 標準型番表



受注生産品のロット及び納期につきましては、営業窓口までお問い合わせ下さい。

荷姿2200mmを越える製品につきましては、路線便での配達の一部できない地域がございます。

詳細は営業窓口までお問い合わせ下さい。

### ■寸法公差

	呼び外径		
	20~70	75~125	130~300
外径・内径	±0.3	±0.4	±0.6
肉厚	±7.5%		
曲り	2mm/1m以内		

### ●CAC406C パイプ


No.	呼称寸法		納入寸法(mm)		参考重量(Kg)			生産区分	
	外径	× 内径	外径	× 内径	3,000 +100 -0	1,000 +10 -0	300 +5 -0	標準在庫品	受注生産品
1	30	× 15	31.0	× 13.6	16.75	5.45	1.65	○	
2	30	× 20	31.0	× 18.6	13.28	4.32	1.31	○	
3	35	× 15	36.0	× 13.6	23.98	7.81	2.36	○	
4	35	× 20	36.0	× 18.6	20.51	6.67	2.02	○	
5	35	× 25	36.0	× 23.6	15.95	5.19	1.57	○	
6	40	× 20	41.0	× 18.6	28.82	9.38	2.84	○	
7	40	× 25	41.0	× 23.6	24.26	7.90	2.39		○
8	40	× 30	41.0	× 28.6	18.63	6.06	1.84	○	
9	45	× 20	46.2	× 18.6	38.60	12.57	3.80	○	
10	45	× 25	46.2	× 23.6	34.05	11.08	3.35	○	
11	45	× 30	46.2	× 28.6	28.42	9.25	2.80	○	
12	45	× 35	46.2	× 33.6	21.70	7.06	2.14		○
13	50	× 20	51.2	× 18.6	49.12	15.99	4.84	○	
14	50	× 25	51.2	× 23.6	44.56	14.50	4.39		○
15	50	× 30	51.2	× 28.6	38.93	12.67	3.83	○	
16	50	× 35	51.2	× 33.6	32.22	10.49	3.17	○	
17	50	× 40	51.2	× 38.6	24.42	7.95	2.41	○	
18	55	× 25	56.5	× 23.6	56.88	18.51	5.60	○	
19	55	× 30	56.5	× 28.6	51.25	16.72	5.05		○
20	55	× 35	56.5	× 33.6	44.54	14.50	4.39	○	
21	55	× 40	56.5	× 38.6	36.74	11.96	3.62	○	
22	60	× 30	61.5	× 28.6	63.98	20.83	6.30	○	
23	60	× 35	61.5	× 33.6	57.27	18.64	5.64	○	
24	60	× 40	61.5	× 38.6	49.48	16.11	4.87	○	
25	60	× 45	61.5	× 43.2	41.36	13.46	4.07		○
26	60	× 50	61.5	× 48.2	31.49	10.25	3.10	○	
27	65	× 30	66.5	× 28.6	77.80	25.32	7.66	○	
28	65	× 35	66.5	× 33.6	71.09	23.14	7.00	○	
29	65	× 40	66.5	× 38.6	63.29	20.60	6.24		○
30	65	× 45	66.5	× 43.2	55.17	17.96	5.44	○	
31	65	× 50	66.5	× 48.2	45.31	14.75	4.46	○	
32	65	× 55	66.5	× 53.2	34.36	11.19	3.39	○	
33	70	× 35	71.5	× 33.6	85.98	27.99	8.46	○	
34	70	× 40	71.5	× 38.6	78.19	25.45	7.70	○	
35	70	× 45	71.5	× 43.2	70.07	22.81	6.90		○
36	70	× 50	71.5	× 48.2	60.20	19.59	5.93	○	
37	70	× 55	71.5	× 53.2	49.26	16.03	4.85	○	
38	75	× 35	76.5	× 33.6	101.95	33.18	10.04	○	
39	75	× 40	76.5	× 38.6	94.16	30.65	9.28		○

No.	呼称寸法		納入寸法(mm)		参考重量(Kg)			生産区分	
	外径	× 内径	外径	× 内径	3,000 <sup>+100</sup> <sub>-0</sub>	1,000 <sup>+10</sup> <sub>-0</sub>	300 <sup>+5</sup> <sub>-0</sub>	標準在庫品	受注生産品
40	75	× 45	76.5	× 43.2	86.04	28.00	8.48	○	
41	75	× 50	76.5	× 48.2	76.17	24.79	7.50		○
42	75	× 55	76.5	× 53.2	65.23	21.23	6.43	○	
43	80	× 40	81.7	× 38.6	111.92	36.43	11.03	○	
44	80	× 45	81.7	× 43.2	103.80	33.78	10.22		○
45	80	× 50	81.7	× 48.2	93.93	30.57	9.25	○	
46	80	× 55	81.7	× 53.2	82.99	27.01	8.18		○
47	80	× 60	81.7	× 58.2	70.96	23.10	6.99	○	
48	85	× 40	86.7	× 38.6	130.09	42.34	12.82	○	
49	85	× 50	86.7	× 48.2	112.11	36.49	11.04	○	
50	85	× 55	86.7	× 53.2	101.16	32.93	9.97	○	
51	90	× 40	91.7	× 38.6	149.35	48.61	14.71	○	
52	90	× 50	91.7	× 48.2	131.36	42.76	12.94		○
53	90	× 60	91.7	× 58.2	108.39	35.28	10.68	○	
54	90	× 70	91.7	× 68.2	81.11	26.40	7.99	○	
55	95	× 45	97.0	× 43.2	162.81	52.99	16.04	○	
56	95	× 65	97.0	× 63.2	116.88	38.04	11.51	○	
57	100	× 40	102.0	× 38.6	192.41	62.63	18.95	○	
58	100	× 50	102.0	× 48.2	174.42	56.77	17.18		○
59	100	× 60	102.0	× 58.2	151.46	49.30	14.92	○	
60	100	× 70	102.0	× 68.2	124.17	40.42	12.23	○	
61	100	× 75	102.0	× 73.0	109.54	35.66	10.79	○	
62	105	× 65	107.0	× 63.2	160.91	52.38	15.85	○	
63	105	× 70	107.0	× 68.2	146.73	47.76	14.45	○	
64	110	× 60	112.0	× 58.2	197.65	64.33	19.47	○	
65	110	× 70	112.0	× 68.2	170.37	55.45	16.78	○	
66	110	× 85	112.0	× 82.6	123.49	40.20	12.17		○
67	110	× 90	112.0	× 87.6	105.12	34.22	10.36	○	
68	115	× 65	117.0	× 63.2	209.26	68.11	20.61	○	
69	120	× 50	122.0	× 48.2	271.13	88.25	26.71	○	
70	120	× 60	122.0	× 58.2	248.16	80.77	24.45		○
71	120	× 80	122.0	× 78.0	189.95	61.83	18.71	○	
72	120	× 90	122.0	× 87.6	155.63	50.66	15.33		○
73	120	× 100	122.0	× 97.6	115.66	37.65	11.39	○	
74	125	× 65	127.5	× 63.2	264.68	86.15	26.07	○	
75	130	× 80	132.5	× 78.0	247.63	80.60	24.39	○	
76	130	× 100	132.5	× 97.6	173.34	56.42	17.08	○	
77	140	× 70	143.0	× 67.5	(343.05)	111.72	33.79	○	
78	140	× 90	143.0	× 87.2	(277.26)	90.29	27.31		○
79	140	× 110	143.0	× 107.2	(193.34)	62.96	19.05	○	
80	150	× 80	153.0	× 77.5	(375.64)	122.33	37.00	○	
81	150	× 100	153.0	× 97.2	(301.35)	98.14	29.69	○	
82	150	× 120	153.0	× 117.0	(209.81)	68.32	20.67		○
83	160	× 100	163.0	× 97.2	(369.56)	120.35	36.41	○	
84	160	× 120	163.0	× 117.0	(278.02)	90.54	27.39	○	
85	160	× 130	163.0	× 127.0	(225.35)	73.39	22.20		○
86	170	× 140	173.0	× 137.0	(240.89)	78.45	23.73	○	
87	180	× 140	183.0	× 137.0	(317.73)	103.47	31.30	○	
88	180	× 160	183.0	× 157.0	(190.81)	62.14	18.80	○	
89	200	× 100	203.0	× 97.2	(685.57)	223.26	67.54	○	
90	200	× 160	203.0	× 157.0	(357.45)	116.41	35.21	○	
91	250	× 150	253.5	× 146.5	(923.84)	300.85	91.00	○	
92	300	× 180	305.0	× 175.0	(1346.91)	428.51	129.62	○	

# SMB-CAC406C BRONZE

'21.01.25

## 標準型番表



受注生産品のロット及び納期につきましては、営業窓口までお問い合わせ下さい。

荷姿2200mmを越える製品につきましては、路線便での配達の一部できない地域がございます。

詳細は営業窓口までお問い合わせ下さい。

### ■寸法公差

	呼び外径	
	13~25	26~40
外径	+0 -0.05	+0 -0.08
曲り	1mm/1m以内	

### ●CAC406C 自動機用丸棒

A: コールドドロ一品

No.	呼称寸法		納入寸法 (mm)	参考重量 (Kg)	生産区分	
	外径	A	外径	3,000 <sup>+10</sup> <sub>-0</sub>	標準在庫品	受注生産品
1	13	A	13.0	3.57	○	
2	14	A	14.0	4.14	○	
3	15	A	15.0	4.75	○	
4	16	A	16.0	5.41	○	
5	17	A	17.0	6.10	○	
6	18	A	18.0	6.84	○	
7	19	A	19.0	7.63	○	
8	20	A	20.0	8.45	○	
9	21	A	21.0	9.32	○	
10	22	A	22.0	10.22	○	
11	23	A	23.0	11.17	○	
12	24	A	24.0	12.17	○	
13	25	A	25.0	13.20	○	
14	26	A	26.0	14.28	○	
15	27	A	27.0	15.40	○	
16	28	A	28.0	16.56	○	
17	29	A	29.0	17.76	○	
18	30	A	30.0	19.01	○	
19	31	A	31.0	20.30	○	
20	32	A	32.0	21.63	○	
21	33	A	33.0	23.00	○	
22	34	A	34.0	24.42	○	
23	35	A	35.0	25.88	○	
24	36	A	36.0	27.38	○	
25	37	A	37.0	28.92	○	
26	38	A	38.0	30.50	○	
27	40	A	40.0	33.80	○	